


PLAN VIEW

NOTE:

- AGGREGATE SURFACE MUST BE ALBERTA TRANSPORTATION SPECIFICATION 4-20 WITH MINIMUM COMPACTED DEPTH OF 100mm.
- UPPER 300mm OF APPROACH STRUCTURE SHALL BE COMPACTED WITH NON-ORGANIC MATERIAL TO 100% SPD.
- BELOW 300mm OF APPROACH STRUCTURE SHALL BE COMPACTED WITH NON-ORGANIC MATERIAL TO 98% SPD.

NOTE:


APPROACH SHALL BE BUILT AT RIGHT ANGLE (90°) TO PUBLIC ROADWAY



SECTION VIEW

NOTE:

ALBERTA TRANSPORTATION DRAWING S-1418-17 (INSTALLATION OF CSP & SPCSP STRUCTURES) SHALL BE REFERENCED FOR FURTHER DETAILS.



PROFILE VIEW

NOTE:

NO APPROACH SHALL BE CONSTRUCTED WITHIN 300ft (91.4m) OF AN INTERSECTION UNLESS APPROVED BY PONOKA COUNTY (SITE CONDITIONS MAY ALTER THE MINIMUM).

NOTE:

FOR VARIANCES TO THIS STANDARD, PONOKA COUNTY MUST BE CONSULTED (1-403-783-3333).



PRIVATE APPROACH

Date:

April 22, 2024

Drawn By:

DD

Checked By:

GS

Sheet:

1 of 1

Drawing No.

RS-1